

New Jersey Division of HIV/AIDS Services
 Persons Living with HIV/AIDS as of June 30, 2004
 Perth Amboy Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatic * *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	#	#	#	#	66	20
AIDS-CD4 Only	#	#	#	#	113	35
HIV Only	143	45	0	0	143	44
Total	320	100	#	#	322	100

2. Age *			3. Race/Eth.		Adult/Adl*		Pediatic*		Total	
Cases	%				Cases	%	Cases	%	Cases	%
<5	0	0	White, Not Hispanic		37	12	0	0	37	11
5-12	#	#	Black, Not Hispanic		63	20	0	0	63	20
13-19	#	#	Hispanic		#	#	#	#	221	69
20-29	11	3	Other/Unknown		#	#	#	#	#	#
30-39	85	26	Total		320	100	#	#	322	100
40-49	153	48								
50+	68	21								
Unk.	0	0								
Total	322	100								

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males		Females		Total	
	Cases	%	Cases	%	Cases	%
Men sex with men (MSM)	42	21	0	0	42	13
Injection drug user (IDU)	91	46	31	26	122	39
MSM/IDU	12	6	0	0	12	4
Heterosexual contact	26	13	56	47	82	26
Risk not reported/other***	26	13	32	27	58	18
Total	197	100	119	100	316	100

	Pediatic Transmission Modes					
	Males		Females		Total	
	Cases	%	Cases	%	Cases	%
Parent at risk/has AIDS/HIV	#	#	#	#	6	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	6	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatic reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
 AIDS Cases Reported as of June 30, 2004
 Perth Amboy Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total							
	Cases	(%)	Deaths	(%)	Cases	(%)	Deaths	(%)				
PCP	131	(28)	112	(87)	0	(0)	0	(.)	131	(27)	112	(87)
Other OI w/o PCP	#	(#)	#	(#)	#	(#)	#	(#)	#	(#)	#	(#)
KS Alone	#	(#)	#	(#)	#	(#)	#	(#)	#	(#)	#	(#)
No Disease Listed	183	(39)	71	(44)	0	(0)	0	(.)	183	(38)	71	(44)
Total	473	(100)	298	(66)	8	(100)	#	(#)	481	(100)	302	(66)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	6	1	White, Not Hispanic	89	19	0	0	89	19
5-12	#	#	Black, Not Hispanic	#	#	#	#	93	19
13-19	#	#	Hispanic	292	62	6	75	298	62
20-29	69	14	Other/Unknown	#	#	#	#	#	#
30-39	253	53	-----	-----	-----	-----	-----	-----	-----
40-49	110	23	Total	473	100	8	100	481	100
Over 49	39	8							
Unknown	0	0							
Total	481	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males		Females		Total	%
Men sex with men (MSM)	58	17	0	0	58	12
Injection drug user (IDU)	175	52	68	50	243	51
MSM/IDU	46	14	0	0	46	10
Heterosexual contact	31	9	52	38	83	18
Risk not reported/other***	25	7	17	12	42	9
Total	335	100	137	100	472	100

	Pediatric Transmission Modes					
	Males		Females		Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	9	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	9	100

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** # patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
 AIDS Cases Reported as of June 30, 2004
 Perth Amboy Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	#	#	#
1986	15	15	100%
1987	21	21	100%
1988	21	18	86%
1989	21	20	95%
1990	35	27	77%
1991	35	29	83%
1992	35	31	89%
1993	54	38	70%
1994	52	35	67%
1995	35	15	43%
1996	37	16	43%
1997	23	11	48%
1998	18	9	50%
1999	13	#	#
2000	12	5	42%
2001	20	6	30%
2002	16	0	0%
2003	10	0	0%
2004	#	#	#
-----	-----	-----	-----
Total	481	302	63%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Perth Amboy Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	#	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	13	9	0	0	13	9
5-12	0	0	Black, Not Hispanic	31	20	0	0	31	20
13-19	#	#	Hispanic	#	#	#	#	108	71
20-29	39	25	Other/Unknown	#	#	#	#	#	#
30-39	62	41	-----	-----	---	-----	---	-----	---
40-49	41	27	Total	152	100	#	#	153	100
Over 49	9	6							
Unknown	0	0							
-----	-----	---							
Total	153	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males		Females		Total	
	#	%	#	%	#	%
Men sex with men (MSM)	19	21	0	0	19	13
Injection drug user (IDU)	46	50	13	22	59	39
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	14	15	19	32	33	22
-----	-----	---	-----	---	-----	---
Total	92	100	60	100	152	100

	Pediatric Transmission Modes					
	Males		Females		Total	
	#	%	#	%	#	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Perth Amboy Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	289	46	8	80	297	47
AIDS-CD4 Only	#	#	#	#	184	29
HIV Only	#	#	#	#	153	24
Total	624	100	10	100	634	100

2. Age *		3. Race/Eth.		Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
Under 5	9	1	White, Not Hispanic	102	16	0	0	102	16
5-12	#	#	Black, Not Hispanic	#	#	#	#	124	20
13-19	#	#	Hispanic	398	64	8	80	406	64
20-29	130	21	Other/Unknown	#	#	#	#	#	#
30-39	311	49							
40-49	139	22	Total	624	100	10	100	634	100
Over 49	41	6							
Unknown	0	0							
Total	634	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males		Females		Total	
	Cases	%	Cases	%	Cases	%
Men sex with men (MSM)	77	18	0	0	77	12
Injection drug user (IDU)	221	52	81	41	302	48
MSM/IDU	48	11	0	0	48	8
Heterosexual contact	42	10	80	41	122	20
Risk not reported/other***	39	9	36	18	75	12
Total	427	100	197	100	624	100

	Pediatric Transmission Modes					
	Males		Females		Total	
	Cases	%	Cases	%	Cases	%
Parent at risk/has AIDS/HIV	#	#	#	#	10	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	10	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Perth Amboy Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	5	#	#
1986	18	17	94%
1987	31	29	94%
1988	31	23	74%
1989	33	30	91%
1990	51	34	67%
1991	62	43	69%
1992	54	25	46%
1993	56	26	46%
1994	49	28	57%
1995	37	9	24%
1996	45	15	33%
1997	23	9	39%
1998	25	6	24%
1999	19	#	#
2000	28	7	25%
2001	26	#	#
2002	20	0	0%
2003	16	0	0%
2004	#	#	#
-----	-----	-----	-----
Total	634	312	49%